

Alufoil.cn

2022-09-20

Introduction

Table of Contents

Search Engine Optimization
Mobile
Visitors
Link Analysis

Usability
Technologies
Social

Iconography

-  Good
-  To Improve
-  Errors
-  Not Important

-  Hard to solve
-  Little tough to solve
-  Easy to solve
-  No action necessary



HWALU - Henan Huawei Aluminum Co., Ltd
: 38



Henan Huawei Aluminum Co., Ltd
: 30





HWALU - Henan Huawei Aluminum Co., Ltd

alufoil.cn/

Henan Huawei Aluminum Co., Ltd



<H1>

1

<H2>

3

<H3>

26

<H4>

0

<H5>

0

<H6>

0

<H1> Aluminum Supplier & Manufacturers </H1>

<H2> Company Profile </H2>

<H2> Hot Products </H2>

<H2> Certificates </H2>

<H3> Translation </H3>

<H3> Products </H3>

<H3> News </H3>

<H3> 4x8 foot aluminum sheet plate </H3>

<H3> 4x8 foot aluminum sheet plate </H3>

<H3> 5005 alloy metal aluminum sheet plate </H3>

<H3> 5005 alloy metal aluminum sheet plate </H3>

<H3> 5052 alloy metal aluminum sheet plate </H3>

<H3> 5052 alloy metal aluminum sheet plate </H3>

<H3> 5083 alloy metal aluminum sheet plate </H3>

<H3> 5083 alloy metal aluminum sheet plate </H3>

<H3> 6061 alloy metal aluminum sheet plate </H3>

<H3> 6061 alloy metal aluminum sheet plate </H3>

<H3> Perforated aluminum sheet plate </H3>

<H3> Perforated aluminum sheet plate </H3>

<H3> 5086 alloy metal aluminum sheet plate </H3>

<H3> 5086 alloy metal aluminum sheet plate </H3>

<H3> 5454 alloy metal aluminum sheet plate </H3>

<H3> 5454 alloy metal aluminum sheet plate </H3>

<H3> 5754 alloy metal aluminum coil </H3>

<H3> 5754 alloy metal aluminum coil </H3>

<H3> If you need a high quality, reliable supplier of aluminium We are your best choice </H3>

<H3> Brand </H3>

<H3> Search </H3>

<H3> Contact </H3>

<H3> Translation </H3>



aluminum 50 sheet 23 metal 19 alloy 18 huawei 4
more 4 rolled 4 processing 3 series 3 settings 3
customer 3 products 3 production 2 coil 2 need 2



				<H>
aluminum	50	✓	✓	✓
sheet	23	✗	✗	✓
metal	19	✗	✗	✓
alloy	18	✗	✗	✓
huawei	4	✓	✓	✗
more	4	✗	✗	✗
rolled	4	✗	✗	✗
processing	3	✗	✗	✗
series	3	✗	✗	✗
settings	3	✗	✗	✗
customer	3	✗	✗	✗
products	3	✗	✗	✓
production	2	✗	✗	✗
coil	2	✗	✗	✓
need	2	✗	✗	✓



https://cdn.hwalu.com/wp-content/uploads/1623742321-logo.webp
https://cdn.hwalu.com/wp-content/uploads/1623742321-logo.webp
https://cdn.hwalu.com/wp-content/uploads/huawei-aluminum-banner002.jpg
https://cdn.hwalu.com/wp-content/uploads/inquiry-10280904.webp
https://cdn.hwalu.com/wp-content/uploads/banner-06180857-0.webp
https://cdn.hwalu.com/wp-content/uploads/banner10281615.webp
https://cdn.hwalu.com/wp-content/uploads/banner10281616.webp
https://cdn.hwalu.com/wp-content/uploads/banner-06180859-0.webp
https://cdn.hwalu.com/wp-content/uploads/banner1028161.png
https://cdn.hwalu.com/wp-content/uploads/banner-06180900.webp
https://cdn.hwalu.com/wp-content/uploads/homefactory.webp

https://cdn.hwalu.com/wp-content/uploads/aluminum-coil-12031424-750x750-1.jpg?x-oss-process=image/resize,m_fill,w_200,h_200/quality,Q_75#
https://cdn.hwalu.com/images/logo/hwalu%2009181543%20400x200.webp?x-oss-process=image/format,webp/quality,Q_75#
https://cdn.hwalu.com/images/logo/huawei%2012291649%20400x200.webp?x-oss-process=image/format,webp/quality,Q_75#




: 10.45%

5071

48520







<http://alufoil.cn/sitemap.xml>



<http://alufoil.cn/robots.txt>



: Not Available

: Not Available

: Not Available

: Not Available



39



0



http://alufoil.cn








alufoil.com	
alufoil.net	
alufoil.org	
alufoil.biz	
alufoil.us	



qlufoil.cn	
wlufoil.cn	
zlufoil.cn	
xlufoil.cn	
apufoil.cn	







HWALU

sales@hwalu.com

Since 2001
21 Years Experience

Covers An Area
Of 250000 m²
With 1200 Works
26 Development Team

16 Cast processing Lines
3 CC processing Lines
1 DC processing Line

Annual Output

[Whatsapp](#)

[Email](#)

[Inquiry](#)

[Top](#)



8.209.76.40	//www.cnnic.cn/ if(typeof ez_ad_units != 'undefined'){ez_ad_units.push([[300,250], 'ipaddress_com-medrectangle-4','e is Alufoil.cn Server Location?The servers for example.com are located in the IPv6 addresses. United StatesLocationUnited StatesLatitude37.7510 / 3 WTimezoneAmerica/ChicagoLocal Time2022-09-19 20





HTML 5



UTF-8







 Facebook:  Aluminumsheetfactory

 Twitter:  Huaweialuminum


 Instagram: 



2,431,611th



\$876 USD





No Anchor Text	Dofollow
Home	Dofollow
Products	Dofollow
News	Dofollow
About us	Dofollow
Contact	Dofollow
Services	Dofollow
FAQ	Dofollow
Reviews	Dofollow
Factory zone	Dofollow
Team	Dofollow
7 systems	Dofollow
No Anchor Text	Dofollow
aluminum sheet plate	Dofollow
aluminum sheet roll	Dofollow
aluminum foil paper	Dofollow
aluminum strip coil	Dofollow
aluminum disc	Dofollow
aluminum diamond plate	Dofollow
embossed stucco aluminum	Dofollow
colour aluminum	Dofollow
mirror aluminum	Dofollow
anodized aluminum	Dofollow
heat transfer plate	Dofollow
Coated aluminum	Dofollow
The grade of aluminum alloy and the concept of aluminum coil	Dofollow
The difference between aluminum alloy and aluminum profile	Dofollow
Top 10 uses of aluminum coil you need to know:	Dofollow
The production process of aluminum circles	Dofollow
The main use of 6 series aluminum alloy	Dofollow
Aluminum sheet profile extrusion and heat treatment optimization method	Dofollow
The trend of aluminum alloy materials in military	Dofollow
The general process of anodizing aluminum sheet	Dofollow
20 Ton1100-H14 aluminum sheet was sent to 7 Vreeland Road, Florham	Dofollow
Structure of Coated Aluminum Coils Alloy	Dofollow
4x8 foot aluminum sheet plate4x8 foot aluminum sheet plateAl metal alloy: 1000, 3000, 5000, 6000, 8000 series etcAlu temper: O - H112, T3 - T8, T351 - T851 etcWidth: 4 ft(1220mm)Length: 8 ft(2440mm)Thickness:0.1mm-100mm or As required	Dofollow
5005 alloy metal aluminum sheet plate5005 alloy metal aluminum sheet plateAlloy: 5005 gradeTemper: O - H112, T3 - T8, T351 - T851 etcWidth: 500mm - 2200mmLength: 100mm-12000mmThickness: 0.2mm - 350mmTechnology: hot rolled (DC), cold rolling (CC), cast	Dofollow
5052 alloy metal aluminum sheet plate5052 alloy metal aluminum sheet plateAl metal alloy: 5052 grade aluminum sheetAlu temper: O - H112, T3 - T8, T351 - T851Width: 20mm - 2600mmThickness: 0.2mm - 500mmRolling process: DC (hot rolled), CC (coil rolled)	Dofollow



<https://www.alufoil.cn/contact.html>