



Your Website Score

Review of Sefidbam.ir

Generated on 2022-06-05

Introduction

This report provides a review of the key factors that influence the SEO and usability of your website.

The homepage rank is a grade on a 100-point scale that represents your Internet Marketing Effectiveness. The algorithm is based on 70 criteria including search engine data, website structure, site performance and others. A rank lower than 40 means that there are a lot of areas to improve. A rank above 70 is a good mark and means that your website is probably well optimized.

Internal pages are ranked on a scale of A+ through E and are based on an analysis of nearly 30 criteria.

Our reports provide actionable advice to improve a site's business objectives.

Please contact us for more information.

Table of Contents

Search Engine Optimization

Mobile

Visitors

Link Analysis

Usability

Technologies

Social

Iconography

 Good

 To Improve

 Errors

 Not Important

 Hard to solve

 Little tough to solve

 Easy to solve

 No action necessary



Title Tag

صفحه نخست اسفید بام لرمانيان

Length: 29 character(s)

Ideally, your title tag should contain between 10 and 70 characters (spaces included).

Make sure your title is explicit and contains your most important keywords.

Be sure that each page has a unique title.



Meta Description

شرکت سفیدبام لرمانيان با بیش از 5 دهه تجربه در زمینه تولید محصولات ساختمانی، به عنوان یکی از پیشروان صنعت از طریق تولید رنگ، عایق، ...

Length: 134 character(s)

Meta descriptions contains between 100 and 300 characters (spaces included).

It allow you to influence how your web pages are described and displayed in search results.

Ensure that all of your web pages have a unique meta description that is explicit and contains your most important keywords (these appear in bold when they match part or all of the user's search query).

A good meta description acts as an organic advertisement, so use enticing messaging with a clear call to action to maximize click-through rate.



Meta Keywords

No Keywords

Meta Keywords are a specific type of meta tag that appear in the HTML code of a Web page and help tell search engines what the topic of the page is.

However, google can't use meta keywords.

[صفحه نخست اسفید بام لرمانیان](http://sefidbam.ir/)
sefidbam.ir/

شرکت سفیدبام لرمانیان با بیش از 5 دهه تجربه در زمینه تولید محصولات ساختمانی، به عنوان یکی از پیشروان صنعت از طریق تولید رنگ، عایق، ...

This is an example of what your Title Tag and Meta Description will look like in Google search results.

While Title Tags & Meta Descriptions are used to build the search result listings, the search engines may create their own if they are missing, not well written, or not relevant to the content on the page.

Title Tags and Meta Descriptions are cut short if they are too long, so it's important to stay within the suggested character limits.

<H1>	<H2>	<H3>	<H4>	<H5>	<H6>
1	3	11	19	0	4

<H1> لرمانیان سفیدبام شرکت </H1>

<H2> شرکت اطلاعات </H2>

<H2> تماس اطلاعات </H2>

<H2> اجتماعی های شبکه </H2>

<H3> بتن بتن دیرگیر / آب لایه‌دهنده فوق TISS R.320 لربو لسیلات پلی پایه بر بتن بتن‌دهنده روان فوق </H3>

<H3> TISS C.1110 بتن لیورینگ </H3>

<H3> TISS SUPER 590 سوپر لاشی چسب </H3>

<H3> FIX FLEX 570 (پودری) فلکس پودری لاشی چسب </H3>

<H3> TISS MASTER522 دوجزنی لاشی چسب </H3>

<H3> ساختمان پی و فونداسیون رطوبتی عایق TISS EP.820 فونداسیون عایق، ایزوپاستا </H3>

ساختمان بند لشی! انجامدمی ساختمان نابودی به لایه مواردی </H3>

<H3> بتن بتن‌دهنده روان فوق </H3>

<H3> گروت نوع بهترین خرید + ساختمانی های گروت انواع </H3>

<H3> گرما با م قابله در ساختمان حرارتی عایق نقش + ایران جنوب در ساقه‌بی گرمای </H3>

اسید ضد رطوبتی عایق معرفی + فلزی سطوح خوردگی از جلوگیری روش </H3>

<H4> بتن‌دهنده تولید اولین </H4>

<H4> 1393 سال از پلیمری پایه فونداسیون عایق </H4>

<H4> 1390 از الیافدار خمیری لاشی چسب </H4>

<H4> 1395 سال از بتن و آسفالت محافظ عایق </H4>

<H4> خاورمیانه در ساز هوا لانیال و لولر لانیال حرارتی عایق </H4>

<H4> 1392 سال از (شیروانی) فلزی های سقف عایق </H4>

<H4> 1394 سال از (میل لاینت) حرارت و صوت عایق </H4>

<H4> 1387 سال از اسید ضد ملات </H4>

<H4> 1395 سال از نانو آب پایه جدولی رنگ </H4>

<H4> 1390 سال از خاورمیانه در حرارتی عایق نماهای </H4>

<H4> 1392 سال از مثال عایق </H4>

<H4> 1395 سال از نانو آب پایه جدولی رنگ </H4>

<H4> سال 1400 از kg/cm2 مقاومت 1000 با سیمانی پایه گروت </H4>

<H4> سال 1389 از الیافی گروت </H4>

<H4>...تخصصی مشاوره دریافت </H4>

<H4>...شماست همیاری و راهنمایی ما تخصص </H4>

<H4>...تخصصی مشاوره دریافت </H4>

<H4>...شماست همیاری و راهنمایی ما تخصص </H4>

<H4> سفیدبام ویلاگ </H4>

لالشی چسب ، لنده روان ، عایق رنگ تولید طریق از ، صنعت پیشروان از یلی عنوان به ، ساختمانی محصولات تولید زمینه در تجربه دهه 5 از بیش با <H6> و محصولات مرتبط در حال فعالیت می باشد . با تالیه بر تجربه و علم فنی خود ، این شرکت به دنبال ارائه محصولات با کیفیت برتر و خدمات حرفه ای به مشتریان خود می باشد . </H6>

های گواهی نامه دارای اله است مفتخر الزمانیان سفیدبام شرکت <H6>

بین المللی ایزو 9001 ، 14001 و 45001 می باشد . این گواهی نامه ها نشان

دهنده تعهد شرکت به استانداردها ، بی الملل ، در زمینه مدیریت

بالا کیفیت با محصولاتی ارائه به الزمانیان سفیدبام شرکت در ما <H6>

و دستدار محیط زیست متعهد هستیم . تیم ما از افرادی با تجربه و متخصص

در زمینه تحقیق ، توسعه ، تولید و کنترل کیفیت تشکیل شده است . از طاعت

شرکت عنوان به ما ، ما خدمات و محصولات به شما اعتماد با <H6>

سفیدبام الزمانیان ، در تلاش هستیم تا بهترین راهکارها و محصولات

ساختمانی را برای شما فراهم آوریم . </H6>

Use your keywords in the headings and make sure the first level (H1) includes your most important keywords. Never duplicate your title tag content in your header tag.

While it is important to ensure every page has an H1 tag, never include more than one per page. Instead, use multiple H2 - H6 tags.

Keywords



This Keyword Cloud provides an insight into the frequency of keyword usage within the page.


It's important to carry out keyword research to get an understanding of the keywords that your audience is using. There are a number of keyword research tools available online to help you choose which keywords to target.

Keyword Consistency

Keywords	Freq	Title	Desc	<H>
tiss	188	×	×	✓
بتن	76	×	×	✓
لننده	62	×	×	✓
عایق	46	×	✓	✓
آب	41	×	×	✓
روان	38	×	✓	✓
چسب	31	×	×	✓
رنگ	29	×	✓	✓
ضد	29	×	×	✓
گروت	21	×	×	✓
لاهنده	20	×	×	✓
از	20	×	✓	✓
ملات	19	×	×	✓
ژل	17	×	×	×
ابر	17	×	×	×

This table highlights the importance of being consistent with your use of keywords.

To improve the chance of ranking well in search results for a specific keyword, make sure you include it in some or all of the following: page URL, page content, title tag, meta description, header tags, image alt attributes, internal link anchor text and backlink anchor text.

We found 78 images on this web page
 54 ALT attributes are empty or missing.

data:image/svg+xml,%3Csvg%20xmlns='http://www.w3.org/2000/svg'%20viewBox='0%200%20405%20306'%3E%3C/svg%3E
https://sefidbam.ir/wp-content/uploads/2023/10/about-uss.png

data:image/svg+xml,%3Csvg%20xmlns='http://www.w3.org/2000/svg'%20viewBox='0%200%20400%20225'%3E%3C/svg%3E
https://sefidbam.ir/wp-content/uploads/2023/07/1.png

data:image/svg+xml,%3Csvg%20xmlns='http://www.w3.org/2000/svg'%20viewBox='0%200%20400%20225'%3E%3C/svg%3E
https://sefidbam.ir/wp-content/uploads/2023/07/2.png

data:image/svg+xml,%3Csvg%20xmlns='http://www.w3.org/2000/svg'%20viewBox='0%200%20400%20225'%3E%3C/svg%3E
https://sefidbam.ir/wp-content/uploads/2023/07/3.png

data:image/svg+xml,%3Csvg%20xmlns='http://www.w3.org/2000/svg'%20viewBox='0%200%20500%20281'%3E%3C/svg%3E
https://sefidbam.ir/wp-content/uploads/2023/07/4.png

data:image/svg+xml,%3Csvg%20xmlns='http://www.w3.org/2000/svg'%20viewBox='0%200%20400%20225'%3E%3C/svg%3E
https://sefidbam.ir/wp-content/uploads/2023/07/5.png

data:image/svg+xml,%3Csvg%20xmlns='http://www.w3.org/2000/svg'%20viewBox='0%200%20500%20281'%3E%3C/svg%3E
https://sefidbam.ir/wp-content/uploads/2023/07/6.png

data:image/svg+xml,%3Csvg%20xmlns='http://www.w3.org/2000/svg'%20viewBox='0%200%20500%20281'%3E%3C/svg%3E
https://sefidbam.ir/wp-content/uploads/2023/07/7.png

data:image/svg+xml,%3Csvg%20xmlns='http://www.w3.org/2000/svg'%20viewBox='0%200%20500%20281'%3E%3C/svg%3E
https://sefidbam.ir/wp-content/uploads/2023/07/9.png

data:image/svg+xml,%3Csvg%20xmlns='http://www.w3.org/2000/svg'%20viewBox='0%200%20500%20281'%3E%3C/svg%3E
https://sefidbam.ir/wp-content/uploads/2023/07/10.png

data:image/svg+xml,%3Csvg%20xmlns='http://www.w3.org/2000/svg'%20viewBox='0%200%20500%20281'%3E%3C/svg%3E
https://sefidbam.ir/wp-content/uploads/2023/08/281.png

data:image/svg+xml,%3Csvg%20xmlns='http://www.w3.org/2000/svg'%20viewBox='0%200%20500%20281'%3E%3C/svg%3E
https://sefidbam.ir/wp-content/uploads/2023/08/نانو.png

data:image/svg+xml,%3Csvg%20xmlns='http://www.w3.org/2000/svg'%20viewBox='0%200%20500%20281'%3E%3C/svg%3E
https://sefidbam.ir/wp-content/uploads/2023/08/گروت.png

data:image/svg+xml,%3Csvg%20xmlns='http://www.w3.org/2000/svg'%20viewBox='0%200%20500%20281'%3E%3C/svg%3E
https://sefidbam.ir/wp-content/uploads/2023/08/10033.png

data:image/svg+xml,%3Csvg%20xmlns='http://www.w3.org/2000/svg'%20viewBox='0%200%20150%20150'%3E%3C/svg%3E
https://sefidbam.ir/wp-content/uploads/2023/07/slider-1-150x150.png

data:image/svg+xml,%3Csvg%20xmlns='http://www.w3.org/2000/svg'%20viewBox='0%200%20600%20614'%3E%3C/svg%3E
https://sefidbam.ir/wp-content/uploads/2023/07/slider-1.png

data:image/svg+xml,%3Csvg%20xmlns='http://www.w3.org/2000/svg'%20viewBox='0%200%20800%20800'%3E%3C/svg%3E
https://sefidbam.ir/wp-content/uploads/2023/07/لنجه روانه.jpg320.jpg

data:image/svg+xml,%3Csvg%20xmlns='http://www.w3.org/2000/svg'%20viewBox='0%200%20800%20800'%3E%3C/svg%3E
https://sefidbam.ir/wp-content/uploads/2023/07/بیتن-1.jpg

data:image/svg+xml,%3Csvg%20xmlns='http://www.w3.org/2000/svg'%20viewBox='0%200%201024%201024'%3E%3C/svg%3E
https://sefidbam.ir/wp-content/uploads/2023/07/پیرایمر/100-1024x1024.jpg

data:image/svg+xml,%3Csvg%20xmlns='http://www.w3.org/2000/svg'%20viewBox='0%200%20800%20800'%3E%3C/svg%3E
https://sefidbam.ir/wp-content/uploads/2023/07/میلگرد.jpg

data:image/svg+xml,%3Csvg%20xmlns='http://www.w3.org/2000/svg'%20viewBox='0%200%20800%20800'%3E%3C/svg%3E
https://sefidbam.ir/wp-content/uploads/2023/07/Tiss-SL-1015.jpg

data:image/svg+xml,%3Csvg%20xmlns='http://www.w3.org/2000/svg'%20viewBox='0%200%20800%20800'%3E%3C/svg%3E
https://sefidbam.ir/wp-content/uploads/2023/07/شونده-خودتراز-حملا تا.png

data:image/svg+xml,%3Csvg%20xmlns='http://www.w3.org/2000/svg'%20viewBox='0%200%20800%20800'%3E%3C/svg%3E
https://sefidbam.ir/wp-content/uploads/2023/07/1.jpg

data:image/svg+xml,%3Csvg%20xmlns='http://www.w3.org/2000/svg'%20viewBox='0%200%200%200'%3E%3C/svg%3E
https://Trustseal.eNamad.ir/logo.aspx?id=222404&Code=i7DXkZqvFRtfeOCRgL0L

data:image/svg+xml,%3Csvg%20xmlns='http://www.w3.org/2000/svg'%20viewBox='0%200%20150%20150'%3E%3C/svg%3E
https://sefidbam.ir/wp-content/uploads/2023/08/shopping-cart_2838895-150x150.png

data:image/svg+xml,%3Csvg%20xmlns='http://www.w3.org/2000/svg'%20viewBox='0%200%20150%20150'%3E%3C/svg%3E

https://sefidbam.ir/wp-content/uploads/2023/08/000-150x150.png

data:image/svg+xml,%3Csvg%20xmlns=http://www.w3.org/2000/svg%20viewBox=0%200%20150%20150%3E%3C/svg%3E

https://sefidbam.ir/wp-content/uploads/2023/08/information_446101-150x150.png



Text/HTML Ratio

HTML to Text Ratio is: **5.41%**



The images size is 202 KB bytes

Alternative text is used to describe images to help search engine crawlers (and the visually impaired).

Total HTML size: 373523 bytes

Also, more information to help them understand images, which can help them to appear in Google Images search results.

Code to text ratio represents the percentage of actual text on a web page compared to the percentage of HTML code, and it is used by search engines to calculate the relevancy of a web page.

A higher code to text ratio will increase your chances of getting a better rank in search engine results.



GZIP compression

Wow! It's GZIP Enabled.



✓ Your webpage is compressed from 365 KB to 50 KB (86.3 % size savings)

Gzip is a method of compressing files (making them smaller) for faster network transfers.

It allows to reduce the size of web pages and any other typical web files to about 30% or less of its original size before it transfer.

 **IP Canonicalization** No your domain IP 185.49.85.173 does not redirect to sefidbam.ir


To check this for your website, enter your IP address in the browser and see if your site loads with the IP address. Ideally, the IP should redirect to your website's URL or to a page from your website hosting provider. If it does not redirect, you should do an htaccess 301 redirect to make sure the IP does not get indexed.

 **URL Rewrite** Good, all URLs look clean and friendly


Your site's URLs contain unnecessary elements that make them look complicated. A URL must be easy to read and remember for users. Search engines need URLs to be clean and include your page's most important keywords. Clean URLs are also useful when shared on social media as they explain the page's content.

 **Underscores in the URLs** Great, you are not using underscores (these_are_underscores) in your URLs


Great, you are not using ?underscores (these_are_underscores) in your URLs. While Google treats hyphens as word separators, it does not for underscores.

✔ **WWW Resolve** Great, a redirect is in place to redirect traffic from your non-preferred domain.
⚙️⚙️⚙️

Redirecting requests from a non-preferred domain is important because search engines consider URLs with and without "www" as two different websites.

✔ **XML Sitemap** Good, you have XML Sitemap file!
⚙️⚙️⚙️
<http://sefidbam.ir/sitemap.xml>

A sitemap lists URLs that are available for crawling and can include additional information like your site's latest updates, frequency of changes and importance of the URLs. This allows search engines to crawl the site more intelligently.

We recommend that you generate an XML sitemap for your website and submit it to both Google Search Console and Bing Webmaster Tools. It is also good practice to specify your sitemap's location in your robots.txt file.

✔ **Robots.txt** Good, you have Robots.txt file!
⚙️⚙️⚙️
<http://sefidbam.ir/robots.txt>

A robots.txt file allows you to restrict the access of search engine robots that crawl the web and it can prevent these robots from accessing specific directories and pages. It also specifies where the XML sitemap file is located.

You can check for errors in your robots.txt file using Google Search Console (formerly Webmaster Tools) by selecting 'Robots.txt Tester' under 'Crawl'. This also allows you to test individual pages to make sure that Googlebot has the appropriate access.

 **Embedded Objects** Perfect, no embedded objects has been detected on this page


Embedded Objects such as Flash. It should only be used for specific enhancements.
Although Flash content often looks nicer, it cannot be properly indexed by search engines.
Avoid full Flash websites to maximize SEO.

 **Iframe** Perfect, no Iframe content has been detected on this page


Frames can cause problems on your web page because search engines will not crawl or index the content within them.
Avoid frames whenever possible and use a NoFrames tag if you must use them.

 **Domain Registration** Exactly how many years and months


Domain Age: Not Available

Created Date: Not Available

Updated Date: Not Available

Expiry Date: Not Available

Domain age matters to a certain extent and newer domains generally struggle to get indexed and rank high in search results for their first few months (depending on other associated ranking factors). Consider buying a second-hand domain name.
Do you know that you can register your domain for up to 10 years? By doing so, you will show the world that you are serious about your business.

 **Indexed Pages**


Indexed pages in search engines

39 Page(s)

This is the number of pages that we have discovered on your website.

A low number can indicate that bots are unable to discover your webpages, which is a common cause of a bad site architecture & internal linking, or you're unknowingly preventing bots and search engines from crawling & indexing your pages.

 **Backlinks Counter**


Number of backlinks to your website

0 Backlink(s)

Backlinks are links that point to your website from other websites. They are like letters of recommendation for your site.

Since this factor is crucial to SEO, you should have a strategy to improve the quantity and quality of backlinks.



URL

http://sefidbam.ir
Length: 8 characters

Keep your URLs short and avoid long domain names when possible.

A descriptive URL is better recognized by search engines.

A user should be able to look at the address bar and make an accurate guess about the content of the page before reaching it (e.g., http://www.mysite.com/en/products).



Favicon

 Great, your website has a favicon.

Favicons improve a brand's visibility.

As a favicon is especially important for users bookmarking your website, make sure it is consistent with your brand.



Custom 404 Page

Great, your website has a custom 404 error page.

When a visitor encounters a 404 File Not Found error on your site, you're on the verge of losing the visitor that you've worked so hard to obtain through the search engines and third party links.

Creating your custom 404 error page allows you to minimize the number of visitors lost that way.

 **Page Size**


217 KB (World Wide Web average is 320 Kb)

Two of the main reasons for an increase in page size are images and JavaScript files.
Page size affects the speed of your website; try to keep your page size below 2 Mb.
Tip: Use images with a small size and optimize their download with gzip.

 **Load Time**


1.9 second(s)

Site speed is an important factor for ranking high in Google search results and enriching the user experience.
Resources: Check out Google's developer tutorials for tips on how to make your website run faster.

 **Language**


Good, you have declared your language
Declared Language: FA-IR

Make sure your declared language is the same as the language detected by Google
Also, define the language of the content in each page's HTML code.

Domain Availability



Domains (TLD)	Status
sefidbam.com	Already Registered
sefidbam.net	Available
sefidbam.org	Already Registered
sefidbam.biz	Already Registered
sefidbam.us	Available

Register the various extensions of your domain to protect your brand from cybersquatters.

Typo Availability



Domains (TLD)	Status
qefidbam.ir	Available
wefidbam.ir	Available
eefidbam.ir	Available
zefidbam.ir	Available
xefidbam.ir	Available

Register the various typos of your domain to protect your brand from cybersquatters.



Email Privacy

Good, no email address has been found in plain text.



We don't recommend adding plain text/linked email addresses to your webpages.

As malicious bots scrape the web in search of email addresses to spam. Instead, consider using a contact form.



Safe Browsing

The website is not blacklisted and looks safe to use.



Safe Browsing to identify unsafe websites and notify users and webmasters so they can protect themselves from harm.



Mobile Friendliness



Awesome! This page is mobile-friendly!
Your mobile friendly score is 80/100

Mobile Friendliness refers to the usability aspects of your mobile website, which Google uses as a ranking signal in mobile search results.



Mobile Compatibility



Perfect, no embedded objects detected.

Embedded Objects such as Flash, Silverlight or Java. It should only be used for specific enhancements.
But avoid using Embedded Objects, so your content can be accessed on all devices.



The number of people using the Mobile Web is huge; over 75 percent of consumers have access to smartphones. ??

Your website should look nice on the most popular mobile devices.

Tip: Use an analytics tool to track mobile usage of your website.

Server IP



Server IP	Server Location	Service Provider
148.251.41.93	IranTimezone	Asiatech Data Transmission companyOrganization

Your server's IP address has little impact on your SEO. Nevertheless, try to host your website on a server which is geographically close to your visitors.

Search engines take the geolocation of a server into account as well as the server speed.

Speed Tips



Tips for authoring fast-loading HTML pages:

- ✘ Too bad, your website has too many CSS files.
- ✘ Too bad, your website has too many JavaScript files.
- ✔ Perfect, your website doesn't use nested tables.
- ✘ Too bad, your website is using inline styles.

Website speed has a huge impact on performance, affecting user experience, conversion rates and even rankings.

By reducing page load-times, users are less likely to get distracted and the search engines are more likely to reward you by ranking your pages higher in the SERPs.

Conversion rates are far higher for websites that load faster than their slower competitors.

Analytics



Perfect, We detect an analytics tool installed on this website.

Web analytics let you measure visitor activity on your website.

You should have at least one analytics tool installed, but It can also be good to install a second in order to cross-check the data.

 **Doc Type**


Your Web Page doctype is HTML 5

The Doctype is used to instruct web browsers about the document type being used.
For example, what version of HTML the page is written in.
Declaring a doctype helps web browsers to render content correctly.

 **W3C Validity**


W3C not validated

W3C is a consortium that sets web standards.
Using valid markup that contains no errors is important because syntax errors can make your page difficult for search engines to index. Run the W3C validation service whenever changes are made to your website's code.

 **Encoding**


Great, language/character encoding is specified: UTF-8

Specifying language/character encoding can prevent problems with the rendering of special characters.

Social Data

Your social media status

 Facebook:  Sefidbam.tiss


 Twitter: 

 Instagram:  Tiss

Social data refers to data individuals create that is knowingly and voluntarily shared by them.



Cost and overhead previously rendered this semi-public form of communication unfeasible.

But advances in social networking technology from 2004-2010 has made broader concepts of sharing possible.

 **Traffic Rank** 405,834th most visited website in the World.


A low rank means that your website gets a lot of visitors.

Your Alexa Rank is a good estimate of the worldwide traffic to your website, although it is not 100 percent accurate.

 **Visitors Localization** Your website is popular on following countries:


No data available

We recommend that you book the domain names for the countries where your website is popular.

This will prevent potential competitors from registering these domains and taking advantage of your reputation in such countries.

 **Estimated Worth** \$5,340 USD


Just a estimated worth of your website based on Alexa Rank.

In-Page Links

We found a total of 186 links including both internal & external links of your site

Anchor	Type	Follow
09134472241	Internal Links	Dofollow
No Anchor Text	Internal Links	Dofollow
خانه	Internal Links	Dofollow
عایق ها	Internal Links	Dofollow
عایق بام	Internal Links	Dofollow
عایق حرارتی و رطوبتی سقف های شیروانی تیس WT1244.T	Internal Links	Dofollow
عایق سفید تیس 200 WLI Tiss	Internal Links	Dofollow
عایق بام نانو آبگریز RI262.T	Internal Links	Dofollow
عایق محافظ ایزوگام تیس IP243.T	Internal Links	Dofollow
عایق فلز عایق متال 250.MI Tiss	Internal Links	Dofollow
عایق صوت و حرارت	Internal Links	Dofollow
لایت میانس 220 Mix Light Tiss عایق صوت و حرارت	Internal Links	Dofollow
عایق صوت و حرارت (لایت میانس) Tiss LM 240	Internal Links	Dofollow
عایق آب بندی دو جزئی اپالس 1042 Apex Tiss	Internal Links	Dofollow
عایق ضد اسید اپولسی 1080 TA Tiss	Internal Links	Dofollow
ایزوپاستا، عایق فونداسیون 820 EP Tiss	Internal Links	Dofollow
عایق حرارتی لائنال لولر 242.CI TISS	Internal Links	Dofollow
عایق الیاف دار 210.FI Tiss	Internal Links	Dofollow
عایق سخت تیس 230.SLI Tiss	Internal Links	Dofollow
عایق آبی 270 BI Tiss	Internal Links	Dofollow
عایق نانو استخر آب 265 PBI.T	Internal Links	Dofollow
افزودنی های بتن	Internal Links	Dofollow
واترپروف بتن	Internal Links	Dofollow
واترپروف پودری بتن 337 WP Tiss	Internal Links	Dofollow
واترپروف مایع بتن 338 WL Tiss	Internal Links	Dofollow
واترپروف گچ و سیمان 339 WG Tiss	Internal Links	Dofollow
مایع واتر پروف 340 WG Tiss	Internal Links	Dofollow
لیورینگ بتن	Internal Links	Dofollow
لیورینگ بتن 1110 cure Tiss	Internal Links	Dofollow
لیورینگ پلیمری و ا لریلیه بتن 1180 cure	Internal Links	Dofollow
ضد یخ های بتن	Internal Links	Dofollow
ضد یخ بتن مسلح 313 AF Tiss	Internal Links	Dofollow
ضد یخ بتن مسلح 311 AF Tiss	Internal Links	Dofollow
ضد یخ بتن غیر مسلح 314 AF Tiss	Internal Links	Dofollow
ضد یخ بتن غیر مسلح 315 AF TISS	Internal Links	Dofollow
ضد یخ بتن غیر مسلح 316 AF TISS	Internal Links	Dofollow
ضد یخ پودری بتن 317 AF TISS	Internal Links	Dofollow
روان لئنده های بتن	Internal Links	Dofollow
روان لئنده بتن 300 R.T	Internal Links	Dofollow
روان لئنده بتن 312 R.T	Internal Links	Dofollow
روان لئنده بتن 318 R.T	Internal Links	Dofollow
روان لئنده بتن 319 R.T	Internal Links	Dofollow
فوق روان لئنده های بتن	Internal Links	Dofollow
فوق روان لئنده بتن 303 R.T	Internal Links	Dofollow
فوق روان لئنده بتن 320 T.R	Internal Links	Dofollow
فوق روان لئنده بتن 302 R.T	Internal Links	Dofollow
فوق روان لئنده بتن 321 R.T	Internal Links	Dofollow

301 R.T	فوق روان لئنده بتن	Internal Links	Dofollow
329 R.T	فوق روان لئنده بتن	Internal Links	Dofollow
366 R.T	فوق روان لئنده دیرگیر بتن	Internal Links	Dofollow
	ابر روان لئنده های بتن	Internal Links	Dofollow
304 R.T	ابر روان لئنده بتن	Internal Links	Dofollow
305 R.T	ابر روان لئنده بتن	Internal Links	Dofollow
306 R.T	ابر روان لئنده بتن	Internal Links	Dofollow
307 R.T	ابر روان لئنده بتن	Internal Links	Dofollow
308 R.T	ابر روان لئنده بتن	Internal Links	Dofollow
310 R.T	ابر روان لئنده بتن	Internal Links	Dofollow
326 R	زودگیر بتن پودری تیس	Internal Links	Dofollow
327 R.T	زودگیر بتن	Internal Links	Dofollow
328 R.T	زودگیر بتن پلاس	Internal Links	Dofollow
353 RL.T	زودگیر مایع تیس	Internal Links	Dofollow
	ژل های می لروسیلیس	Internal Links	Dofollow
330 GMS.T	ژل می لروسیلیس	Internal Links	Dofollow
331 GM.T	ژل می لروسیلیس	Internal Links	Dofollow
332 GM.T	ژل می لروسیلیس	Internal Links	Dofollow
333 GMS.T	ژل می لروسیلیس چند منظوره	Internal Links	Dofollow
350 GMS Tiss	ژل می لروسیلیس رنگی	Internal Links	Dofollow
336.GMS Tiss	پاور ژل	Internal Links	Dofollow
390 SG Tiss	سوپر ژل	Internal Links	Dofollow
347 MS.T	دوغاب می لروسیلیس	Internal Links	Dofollow
1070-M Tiss	آنی گیر بتن	Internal Links	Dofollow
322 RF Tiss	حباب ساز بتن	Internal Links	Dofollow
360 SA Tiss	غلظت دهنده بتن	Internal Links	Dofollow
1170 TK Tiss	تخریب لئنده بتن (کاترا)	Internal Links	Dofollow
325-R Tiss	دیرگیر بتن	Internal Links	Dofollow
	ملات های آماده	Internal Links	Dofollow
	گروت ها	Internal Links	Dofollow
1000 G.T	گروت نرمال	Internal Links	Dofollow
1004.G Tiss	گروت اپو لسی	Internal Links	Dofollow
1005 G TISS	گروت نیلینگ	Internal Links	Dofollow
	گروت های منبسط شونده	Internal Links	Dofollow
1001 G Tiss	گروت منبسط شونده	Internal Links	Dofollow
1002 Grout.T	گروت منبسط شونده	Internal Links	Dofollow
1003 Grout.T	گروت منبسط شونده	Internal Links	Dofollow
	پودر بند لشی	Internal Links	Dofollow
1010.TG	پودر بند لشی عایق تیس	Internal Links	Dofollow
1029 G Tiss	پودر بند لشی عایق دو جزئی	Internal Links	Dofollow
	ملات های ترمیمی	Internal Links	Dofollow
1040 P Tiss	ملات ترمیمی دوجزئی	Internal Links	Dofollow
1041 P Tiss	ملات ترمیمی نرم تا جزئی	Internal Links	Dofollow
1043 P Tiss	ملات ترمیمی نرم دوجزئی	Internal Links	Dofollow
1030	لقپوش سخت صنعتی	Internal Links	Dofollow
EL1060 Tiss	لقپوش اپو لسی	Internal Links	Dofollow
EP798.T	رزین اپو لسی تیس	Internal Links	Dofollow
1045 P Tiss	ملات ترمیم نسوز لوره	Internal Links	Dofollow
	پوشش های ضد حریق	Internal Links	Dofollow
1015 SL Tiss	ملات خودتراز شونده	Internal Links	Dofollow
	رنگ ها	Internal Links	Dofollow
	رنگ های جدول خیابان	Internal Links	Dofollow
P784.T	رنگ جدولی نانو آبریز	Internal Links	Dofollow

رنگ جدولی تیس 785.P Tiss (پایه آب)	Internal Links	Dofollow
رنگ جدول براق نانو 788.P Tiss (پایه آب)	Internal Links	Dofollow
رنگ جدولی روغنی 789.P Tiss	Internal Links	Dofollow
رنگ های ترافیکی	Internal Links	Dofollow
رنگ ترافیکی پایه آب	Internal Links	Dofollow
رنگ ترافیکی سرد تاجزنی P787.T	Internal Links	Dofollow
رنگ پلاستیکی 760 P Tiss	Internal Links	Dofollow
رنگ استخر آبی 786 P Tiss	Internal Links	Dofollow
رنگ لولتار اپو لسی R326.T	Internal Links	Dofollow
رنگ نیم پلاستیکی ممتاز 770 P Tiss	Internal Links	Dofollow
رنگ اتریلی	Internal Links	Dofollow
رنگ محافظ تنه درخت 759.P Tiss	Internal Links	Dofollow
رنگ محافظ لندو 400 P.T	Internal Links	Dofollow
چسب های ساختمانی	Internal Links	Dofollow
چسب بتن SA12	Internal Links	Dofollow
چسب بتن آب بند تیس 540.WB Tiss	Internal Links	Dofollow
چسب بتن استند لایمی 550.B Tiss	Internal Links	Dofollow
چسب لاشی	Internal Links	Dofollow
چسب لاشی پودری پلاس 560.GFP Tiss	Internal Links	Dofollow
چسب لاشی پودری فلز 570.GFF Tiss	Internal Links	Dofollow
چسب لاشی پودری پول 580 TP Tiss	Internal Links	Dofollow
چسب لاشی سوپر 590.TS Tiss	Internal Links	Dofollow
چسب لاشی لف 530 TF Tiss	Internal Links	Dofollow
چسب لاشی پودری استار 521 S.T Tiss	Internal Links	Dofollow
چسب لاشی خمیری 500 TA.Tiss	Internal Links	Dofollow
چسب لاشی الیاف دار 520.FA Tiss	Internal Links	Dofollow
چسب لایغ دیواری	Internal Links	Dofollow
چسب لایغ دیواری 615 WA.T	Internal Links	Dofollow
چسب لایغ دیواری 610 WA.T	Internal Links	Dofollow
چسب سنگ تیس 620 SG.T	Internal Links	Dofollow
چسب سنگ آنتی 510 SA Tiss	Internal Links	Dofollow
چسب لایفوش 660 FG.T (چسب ویژه)	Internal Links	Dofollow
چسب باغبانی 650 AG Tiss	Internal Links	Dofollow
چسب لایشت میلگرد B1120.T	Internal Links	Dofollow
چسب هیپ لیس 600.HB Tiss	Internal Links	Dofollow
پرایمرها	Internal Links	Dofollow
پرایمر بتن اپو لسی 830 P Tiss	Internal Links	Dofollow
لا پلی اورتان P860 TISS	Internal Links	Dofollow
پرایمر بتن P800 Tiss	Internal Links	Dofollow
پرایمر زیرسازی رنگ 810 P Tiss	Internal Links	Dofollow
پرایمر ضد خوردگی بر پایه اپو لسی 850 p Tiss	Internal Links	Dofollow
پرایمر نانو	Internal Links	Dofollow
پرایمر نانو 100 TN	Internal Links	Dofollow
پرایمر نانو 120 TN	Internal Links	Dofollow
پرایمر نانو 220 TN	Internal Links	Dofollow
پرایمر نانو 320 TN	Internal Links	Dofollow
نماها	Internal Links	Dofollow
نمای لایت لیس ضد آب 700.K Tiss	Internal Links	Dofollow
نمای پایه سیمانی (PCF717.T – PCF716.T – PCF715.T)	Internal Links	Dofollow
نمای سولار 720.S Tiss	Internal Links	Dofollow
نمای گلدن رنگی 730.G Tiss	Internal Links	Dofollow
نمای دیاموند 740 D Tiss	Internal Links	Dofollow
نمای سیلور 750.S Tiss	Internal Links	Dofollow

توليدات خاص سفيد بام	Internal Links	Dofollow
1100 Oil Tiss قالب روغن	Internal Links	Dofollow
T1150 TISS مش فايبر گلاس	Internal Links	Dofollow
1160 M Tiss مالچ پليمرى	Internal Links	Dofollow
1130 PP Tiss الياف پلى پروپيلن	Internal Links	Dofollow
1140 T Tiss الياف شيشه اى	Internal Links	Dofollow
بتونه ها و درزگيرها	Internal Links	Dofollow
790.PP Tiss بتونه زير سازى رنگ	Internal Links	Dofollow
630 IG.T خمير درزگير ا لرياليه	Internal Links	Dofollow
280 FP Tiss بتونه اليافدار ضد آب	Internal Links	Dofollow
670 SJ.T خمير درزگير ژوئن	Internal Links	Dofollow
290 EP Tiss بتونه اپو لسى اليافدار	Internal Links	Dofollow
مقالات	Internal Links	Dofollow
ارتباط با ما	Internal Links	Dofollow
درباره ما	Internal Links	Dofollow
نمايندگان	Internal Links	Dofollow
500 TA.Tiss چسب لاشى خميرى	Internal Links	Dofollow
روش و نحوه اجراى گروت ريزى زير بيس ...	Internal Links	Dofollow
رزين اپو لسى چيست؟ رزین اپو لسی شفاف و حلال ...	Internal Links	Dofollow
روش ترميم بتن تر ل خورده سد قف	Internal Links	Dofollow
نحوه استفاده از پودر بند لاشى نانو	Internal Links	Dofollow
استانداردها و تائيديه ها	Internal Links	Dofollow
دانلود دفترچه محصولات	Internal Links	Dofollow
Eaparat	External Links	Dofollow
Facebook	External Links	Dofollow
Youtube	External Links	Dofollow
Telegram	External Links	Dofollow
Linkedin	External Links	Dofollow
Instagram	External Links	Dofollow

While there's no exact limit to the number of links you should include on a page, best practice is to avoid exceeding 200 links.

Links pass value from one page to another, but the amount of value that can be passed is split between all of the links on a page. This means that adding unnecessary links will dilute the potential value attributed to your other links.

Using the Nofollow attribute prevents value from being passed to the linking page, but it's worth noting that these links are still taken into account when calculating the value that is passed through each link, so Nofollow links can also dilute pagerank.



Broken Links



No broken links were found on this web page

Broken links send users to non-existing web pages. They are bad for your site's usability, reputation and SEO. If you find broken links in the future, take the time to replace or remove each one.