

Review of Swimmingpoolpumpsuk.co.uk Generated on 2023-04-17 Introduction This report provides a review of the key factors that influence the SEO and usability of your website. The homepage rank is a grade on a 100-point scale that represents your Internet Marketing Effectiveness. The algorithm is based on 70 criteria including search engine data, website structure, site performance and others. A rank lower than 40 means that there are a lot of areas to improve. A rank above 70 is a good mark and means that your website is probably well optimized. Internal pages are ranked on a scale of A+ through E and are based on an analysis of nearly 30 criteria. Our reports provide actionable advice to improve a site's business objectives. Please contact us for more information. **Table of Contents** Search Engine Optimization Usability Mobile Technologies Visitors Social Link Analysis Iconography • • • • Hard to solve Good Dittle tough to solve To Improve Easy to solve Errors No action necessary Not Important



Search Engine Optimization



Swimming Pool Pumps UK

Length: 28 character(s)

Ideally, your title tag should contain between 10 and 70 characters (spaces included).

Make sure your title is explicit and contains your most important keywords.

Be sure that each page has a unique title.

Meta Description

000



Swimming Pool Pumps UK specialises in supplying swimming pool pumps along with all other required swimming pool equipment from swimming pool heat pumps to swimming pool chemicals. We aim to be your one stop pool shop.

Length: 217 character(s)

Meta descriptions contains between 100 and 300 characters (spaces included).

It allow you to influence how your web pages are described and displayed in search results.

Ensure that all of your web pages have a unique meta description that is explicit and contains your most important keywords (these

appear in bold when they match part or all of the user's search query).

A good meta description acts as an organic advertisement, so use enticing messaging with a clear call to action to maximize

click-through rate.

000



Meta Keywords No Keywords

Meta Keywords are a specific type of meta tag that appear in the HTML code of a Web page and help tell search engines what the topic of the page is.

However, google can't use meta keywords.





Google Preview

Swimming Pool Pumps UK swimmingpoolpumpsuk.co.uk/

Swimming Pool Pumps UK specialises in supplying swimming pool pumps along with all other required swimming pool equipment from swimming pool heat pumps to swimming pool chemicals. We aim to be your one stop pool shop.

This is an example of what your Title Tag and Meta Description will look like in Google search results.

While Title Tags & Meta Descriptions are used to build the search result listings, the search engines may create their own if they are missing, not well written, or not relevant to the content on the page.

Title Tags and Meta Descriptions are cut short if they are too long, so it's important to stay within the suggested character limits.

Headings	<h1></h1>	<h2></h2>	<h3></h3>	<h4></h4>	<h5></h5>	<h6></h6>
	7	2	2	3	0	0

<h1> Swimming Pool Pumps </h1>
<h1> Swimming Pool Pump Suppliers </h1>
<h1> Our Best Sellers </h1>
<h1> Categories </h1>
<h1> Account </h1>
<h1> Address </h1>
<h1> Contact </h1>
<h2> Swimming Pool Pumps </h2>
<h2> Swimming Pool PumpsWe supply a wide variety of pumps including Aquaspeed, Viron eVo, Euroswim and more.</h2>
<h3> Pumps </h3>
<h3> Filters </h3>
<h4> Plant Room Shield flood detection device. PRS001 </h4>
<h4> Certikin New Generation Single Phase Aquaspeed Pump </h4>
<h4> Sta-Rite Swimming Pool Pump - Single Phase SRN </h4>

Use your keywords in the headings and make sure the first level (H1) includes your most important keywords. Never duplicate your

title tag content in your header tag.


While it is important to ensure every page has an H1 tag, never include more than one per page. Instead, use multiple H2 - H6 tags.





This Keyword Cloud provides an insight into the frequency of keyword usage within the page.

It's important to carry out keyword research to get an understanding of the keywords that your audience is using. There are a number of keyword research tools available online to help you choose which keywords to target.



3

This table highlights the importance of being consistent with your use of keywords.

ladders

To improve the chance of ranking well in search results for a specific keyword, make sure you include it in some or all of the following: page URL, page content, title tag, meta description, header tags, image alt attributes, internal link anchor text and backlink anchor text.

×

×

×



000



We found 18 images on this web page 10 ALT attributes are empty or missing.

https://cdn.shopify.com/s/files/1/0251/8846/6750/files/american_flag.png?1275 https://cdn.shopify.com/s/files/1/0251/8846/6750/files/banner_img1_300x300.jpg?v=1614296003 //cdn.shopify.com/s/files/1/0251/8846/6750/files/banner_img1_970x@2x.jpg?v=1614296003 //cdn.shopify.com/s/files/1/0251/8846/6750/files/pumps_list_img_295x178.png?v=1614296025 //cdn.shopify.com/s/files/1/0251/8846/6750/files/filters_icon_img_295x178.png?v=1614296025 //cdn.shopify.com/s/files/1/0251/8846/6750/files/aquaspeed_logo_295x178.png?v=1614296029 //cdn.shopify.com/s/files/1/0251/8846/6750/files/certikin_logo_295x178.png?v=1614296030 //cdn.shopify.com/s/files/1/0251/8846/6750/files/waterco_logo_295x178.png?v=1614296030 //cdn.shopify.com/s/files/1/0251/8846/6750/files/waterco_logo_295x178.png?v=1614296030

Alternative text is used to describe images to give the search engine crawlers (and the visually impaired).

Also, more information to help them understand images, which can help them to appear in Google Images search results.



HTML to Text Ratio is: **3.4%** Text content size 3345 bytes

Total HTML size 98419 bytes

Code to text ratio represents the percentage of actual text on a web page compared to the percentage of HTML code, and it is used by search engines to calculate the relevancy of a web page.

A higher code to text ratio will increase your chances of getting a better rank in search engine results.



GZIP compression

Wow! It's GZIP Enabled. Vour webpage is compressed from 96 KB to 22 KB (77 % size savings)

Gzip is a method of compressing files (making them smaller) for faster network transfers.

It allows to reduce the size of web pages and any other typical web files to about 30% or less of its original size before it transfer.





IP Canonicalization No your domain IP 23.227.38.65 does not redirect to swimmingpoolpumpsuk.co.uk

To check this for your website, enter your IP address in the browser and see if your site loads with the IP address. Ideally, the IP should redirect to your website's URL or to a page from your website hosting provider. If it does not redirect, you should do an htaccess 301 redirect to make sure the IP does not get indexed.



Good, all URLs look clean and friendly

Your site's URLs contain unnecessary elements that make them look complicated.

A URL must be easy to read and remember for users. Search engines need URLs to be clean and include your page's most important keywords.

Clean URLs are also useful when shared on social media as they explain the page's content.



Underscores in the Great, you are not using underscores (these_are_underscores) in your URLs URLs

Great, you are not using ?underscores (these_are_underscores) in your URLs.

While Google treats hyphens as word separators, it does not for underscores.





WWW Resolve

000

Great, a redirect is in place to redirect traffic from your non-preferred domain.

Redirecting requests from a non-preferred domain is important because search engines consider URLs with and without "www" as two different websites.



XML Sitemap

Good, you have XML Sitemap file! http://swimmingpoolpumpsuk.co.uk/sitemap.xml

A sitemap lists URLs that are available for crawling and can include additional information like your site's latest updates, frequency of changes and importance of the URLs. This allows search engines to crawl the site more intelligently. We recommend that you generate an XML sitemap for your website and submit it to both Google Search Console and Bing Webmaster Tools. It is also good practice to specify your sitemap's location in your robots.txt file.



000

Good, you have Robots.txt file! http://swimmingpoolpumpsuk.co.uk/robots.txt

A robots.txt file allows you to restrict the access of search engine robots that crawl the web and it can prevent these robots from accessing specific directories and pages. It also specifies where the XML sitemap file is located.

You can check for errors in your robots.txt file using Google Search Console (formerly Webmaster Tools) by selecting 'Robots.txt Tester' under 'Crawl'. This also allows you to test individual pages to make sure that Googlebot has the appropriate access.





000

Embedded Objects Perfect, no embedded objects has been detected on this page

Embedded Objects such as Flash. It should only be used for specific enhancements. Although Flash content often looks nicer, it cannot be properly indexed by search engines. Avoid full Flash websites to maximize SEO.



Perfect, no Iframe content has been detected on this page

Frames can cause problems on your web page because search engines will not crawl or index the content within them. Avoid frames whenever possible and use a NoFrames tag if you must use them.



000

Exactly how many years and months **Domain Registration**

Domain Age: 2 Years, 344 Days

Created Date: 29th-Jun-2020


Updated Date: 23rd-Jun-2022

Expiry Date: 29th-Jun-2024

Domain age matters to a certain extent and newer domains generally struggle to get indexed and rank high in search results for their first few months (depending on other associated ranking factors). Consider buying a second-hand domain name. Do you know that you can register your domain for up to 10 years? By doing so, you will show the world that you are serious about

your business.







Usability



http://swimmingpoolpumpsuk.co.uk Length: 19 characters

Keep your URLs short and avoid long domain names when possible.

A descriptive URL is better recognized by search engines.

A user should be able to look at the address bar and make an accurate guess about the content of the page before reaching it (e.g.,

http://www.mysite.com/en/products).



Creat, your website has a favicon.

Favicons improve a brand's visibility.

As a favicon is especially important for users bookmarking your website, make sure it is consistent with your brand.



Custom 404 Page

Great, your website has a custom 404 error page.

When a visitor encounters a 404 File Not Found error on your site, you're on the verge of losing the visitor that you've worked so

hard to obtain through the search engines and third party links.

Creating your custom 404 error page allows you to minimize the number of visitors lost that way.





Two of the main reasons for an increase in page size are images and JavaScript files. Page size affects the speed of your website; try to keep your page size below 2 Mb. Tip: Use images with a small size and optimize their download with gzip.



0.13 second(s)

Site speed is an important factor for ranking high in Google search results and enriching the user experience. Resources: Check out Google's developer tutorials for tips on how to to make your website run faster.



Good, you have declared your language Declared Language: English

Make sure your declared language is the same as the language detected by Google

Also, define the language of the content in each page's HTML code.





Domain Availability

Domains (TLD)	Status	
swimmingpoolpumpsuk.com	Available	
swimmingpoolpumpsuk.net	Available	
swimmingpoolpumpsuk.org	Already Registered	
swimmingpoolpumpsuk.biz	Already Registered	
swimmingpoolpumpsuk.us	Available	

Register the various extensions of your domain to protect your brand from cybersquatters.



Typo Availability

Domains (TLD)	Status	
swimingpolpumpsuk.uk	Available	
qwimmingpoolpumpsuk.uk	Available	
wwimmingpoolpumpsuk.uk	Available	
ewimmingpoolpumpsuk.uk	Available	
zwimmingpoolpumpsuk.uk	Available	

Register the various typos of your domain to protect your brand from cybersquatters.





Email Privacy

We don't recommend adding plain text/linked email addresses to your webpages.

As malicious bots scrape the web in search of email addresses to spam. Instead, consider using a contact form.



The website is not blacklisted and looks safe to use.

Safe Browsing to identify unsafe websites and notify users and webmasters so they can protect themselves from harm.



Mobile



Mobile Friendliness

Oh No! This page is not mobile-friendly. Your mobile friendly score is 0/100

Mobile Friendliness refers to the usability aspects of your mobile website, which Google uses as a ranking signal in mobile search results.



 Mobile Compatibility
 Perfect, no embedded objects detected.

 •••••
 ••••

Embedded Objects such as Flash, Silverlight or Java. It should only be used for specific enhancements.

But avoid using Embedded Objects, so your content can be accessed on all devices.





Mobile View

The number of people using the Mobile Web is huge; over 75 percent of consumers have access to smartphones. ??

Your website should look nice on the most popular mobile devices.

Tip: Use an analytics tool to track mobile usage of your website.



Technologies



Server IP

 Server IP
 Server Location

 23.227.38.65
 //www.lcn.com Domain Creation DateJun 29, 2020Domain Expiry DateJun Sponsoring OrganisationNominet UK.uk WHOIS Serverwhois.nic.uk.uk R

Your server's IP address has little impact on your SEO. Nevertheless, try to host your website on a server which is geographically close to your Search engines take the geolocation of a server into account as well as the server speed.



Tips for authoring fast-loading HTML pages:

- 💥 Too bad, your website has too many CSS files.
- X Too bad, your website has too many JavaScript files.
- Perfect, your website doesn't use nested tables.
- 💥 Too bad, your website is using inline styles.

Website speed has a huge impact on performance, affecting user experience, conversion rates and even rankings.

???By reducing page load-times, users are less likely to get distracted and the search engines are more likely to reward you by ranking your pages higher in the SERPs.

ramming four pages ingher in the sized st

Conversion rates are far higher for websites that load faster than their slower competitors.



Perfect, We detect an analytics tool installed on this website.

Web analytics let you measure visitor activity on your website.

You should have at least one analytics tool installed, but It can also be good to install a second in order to cross-check the data.





Doc Type

The Doctype is used to instruct web browsers about the document type being used. For example, what version of HTML the page is written in. Declaring a doctype helps web browsers to render content correctly.



W3C not validated

W3Cis a consortium that sets web standards.

Using valid markup that contains no errors is important because syntax errors can make your page difficult for search engines to index. Run the W3C validation service whenever changes are made to your website's code.



Great, language/character encoding is specified: UTF-8

Specifying language/character encoding can prevent problems with the rendering of special characters.



Social



Social data refers to data individuals create that is knowingly and voluntarily shared by them.

Cost and overhead previously rendered this semi-public form of communication unfeasible.

But advances in social networking technology from 2004-2010 has made broader concepts of sharing possible.



Visitors





000

Estimated Worth \$60 USD

Just a estimated worth of your website based on Alexa Rank.



Link Analysis

In-Page Links

We found a total of 74 links including both internal & external links of your site

Anchor	Туре	Follow
Home	Internal Links	Dofollow
About Us	Internal Links	Dofollow
Contact Us	Internal Links	Dofollow
Log In	Internal Links	Dofollow
0 Cart - £0.00	Internal Links	Dofollow
Pumps	Internal Links	Dofollow
Chemicals	Internal Links	Dofollow
Domestic Pumps	Internal Links	Dofollow
Commercial Pumps	Internal Links	Dofollow
Filters	Internal Links	Dofollow
Multiport Valves & Pressure Gauges	Internal Links	Dofollow
Filter Media	Internal Links	Dofollow
Cartridge Filters	Internal Links	Dofollow
Multicyclone Filters	Internal Links	Dofollow
Heat Pumps	Internal Links	Dofollow
Electric Heaters	Internal Links	Dofollow
Gas Boilers	Internal Links	Dofollow
Oil Boilers	Internal Links	Dofollow
Heat Exchangers	Internal Links	Dofollow
Dehumidifiers	Internal Links	Dofollow
Bubble Covers	Internal Links	Dofollow
Bubble Cover Rollers	Internal Links	Dofollow
Safety Covers	Internal Links	Dofollow
Slatted Covers	Internal Links	Dofollow
Winter Covers	Internal Links	Dofollow
Certikin S/S Ladders 1.7"/43mm	Internal Links	Dofollow
Certikin S/S Ladders 1.5"/38mm	Internal Links	Dofollow
Ladder Spares	Internal Links	Dofollow
Lane Marking Equipment	Internal Links	Dofollow
Competition Equipment	Internal Links	Dofollow
Diving Boards	Internal Links	Dofollow
Overflow Grating/Drainage Channel	Internal Links	Dofollow
Pool Shell Finishes	Internal Links	Dofollow
Diving Boards Roman Ends & Slides Spares	Internal Links	Dofollow
Maintenance Equipment	Internal Links	Dofollow
Automatic Pool Cleaner	Internal Links	Dofollow
Automatic Pool Cleaner Spares	Internal Links	Dofollow
White ABS	Internal Links	Dofollow
Black ABS	Internal Links	Dofollow
Grey ABS	Internal Links	Dofollow
Stainless Steel Fittings	Internal Links	Dofollow
Pipe and Fittings 1.5" - White	Internal Links	Dofollow
Pipe and fittings 2" white	Internal Links	Dofollow
Pipe and Fittings 1.5" Gray	Internal Links	Dofollow
Pipe and Fittings 2" Gray	Internal Links	Dofollow
ABS Lights & Accessories	Internal Links	Dofollow
Lighting Spares	Internal Links	Dofollow



Transformers	Internal Links	Dofollow
Erosion Feeder	Internal Links	Dofollow
Domestic Dosing Systems	Internal Links	Dofollow
Dosing Pumps	Internal Links	Dofollow
Dosing Accessories	Internal Links	Dofollow
FLOC Dosing Set	Internal Links	Dofollow
Pool Lining	Internal Links	Dofollow
Swim Jets	Internal Links	Dofollow
Swim Jet Spares	Internal Links	Dofollow
Pool Enclosures	Internal Links	Dofollow
Water Features	Internal Links	Dofollow
Air Blowers	Internal Links	Dofollow
Submersible Pumps	Internal Links	Dofollow
Sign up	Internal Links	Dofollow
View Product	Internal Links	Dofollow
View Product	Internal Links	Dofollow
View Product	Internal Links	Dofollow
My Account	Internal Links	Dofollow
Terms & Conditions	Internal Links	Dofollow
Privacy Policy	Internal Links	Dofollow
Cookie Policy	Internal Links	Dofollow
Terms of Service	Internal Links	Dofollow
Refund policy	Internal Links	Dofollow
01536 646007	Internal Links	Dofollow
JDR Group	External Links	Dofollow

While there's no exact limit to the number of links you should include on a page, best practice is to avoid exceeding 200 links.

Links pass value from one page to another, but the amount of value that can be passed is split between all of the links on a page. This means that adding unnecessary links will dilute the potential value attributed to your other links.

Using the Nofollow attribute prevents value from being passed to the linking page, but it's worth noting that these links are still taken into account when calculating the value that is passed through each link, so Nofollow links can also dilute pagerank.





Broken Links

No broken links were found on this web page

Broken links send users to non-existing web pages. They are bad for your site's usability, reputation and SEO. If you find broken links in the future, take the time to replace or remove each one.

